

AE PRODUCT & SERVICES PORTFOLIO PRECISION POWER & CONTROL



AE is a leader in global hightechnology applications.

- Semiconductor
- Glass
- Flat panel display

- Thin-film sola
- Industrial coatings
- Mass spectrometry


- X-ray
- Instrumentation
- Other key markets






With a focus on power conversion and control that spans more than three decades, we build industryspecific expertise into every solution and deliver manufacturing solutions that create an advantage for our customers.

THIN-FILM PROCESSES REQUIRE DIVERSE POWER TECHNOLOGIES



AE'S BROAD PRODUCT PORTFOLIO MEETS YOUR NEEDS



.....

WE DELIVER



Solutions as dependable as they are innovative



Proven products that deliver today and adapt to your needs tomorrow



Rapid-response service and support, worldwide



AE POWER DELIVERY SYSTEMS AND CONTROLS

PRODUCT		POWER/MAX DATA RATE	PERFORMANCE RANGE	APPLICATION							
				SPUTTERING						HEATING, MELTING,	
				METAL	INSULATIVE	ETCH/CLEAN	CVD	ALD	ABATEMENT	AND MOULDING	OTHER
Direct Current/ Low Frequency	DC Suite: Ascent*, Pinnacle*, and Solvix* Series	3 to 480 kW	-	Х							×
	Pulsed-DC Suite: Pinnacle [®] Plus+ and Solvix [®] Series	3 to 60 kW	5 to 350 kHz	х	х						х
	Solvix [®] Arc Series	0 to 400 A	1 to 200 Hz (optional)	Х	Х						х
	Solvix [®] Bias Series	3 to 30 kW	1 to 350 kHz (optional)	Х	Х						Х
	PEII Series	5 to 10 kW	40 kHz	Х	Х	Х	Х				Х
	Ascent® DMS Accessory for Ascent® AMS DC	30 to 180 kW	500 Hz to 50 kHz	Х	х						Х
	Crystal* Series	60 to 180 kW	Up to 100 kHz	Х	х		Х				Х
Mid Frequency	Paramount [®] MF Series	2 to 8 kW	330 to 460 kHz			Х	Х				Х
		5 to 15 kW	2 MHz			Х	Х				Х
	PDX [®] Series	900 W to 8 kW	235 to 460 kHz			х	Х				Х
	Cesar* Series	300 W to 5 kW	400 kHz to 4 MHz			Х	Х				х
High Frequency	Paramount [®] HF Series	1.5 to 6 kW	13 MHz	Х	Х	Х	Х	Х			Х
	Apex [*] Series	1.5 to 10 kW	13 MHz			Х	Х				Х
	Cesar [®] Series	300 W to 5 kW	13 to 40 MHz			Х	Х				Х
Very High Frequency	Paramount [®] VHF	3 to 7 kW	27 to 60 MHz	Х		Х	Х	Х			Х
	Cesar [®] Series	300 W to 4 kW	13 to 40 MHz			Х					х
Matching Networks	Navigator [®] II Matching Networks	Up to 50 kW	Up to 60 MHz			Х	Х	Х			ſ
	Navigator [®] Matching Networks	1 to 15 kW	2 to 60 MHz			Х	Х				Х
	Navio [™] Matching Networks	1 to 5 kW	13 to 60 MHz				х				х
Source Technology	Quanta™ Remote Plasma Sources	3 and 6 kW	60 MHz			Х		Х			Х
	Litmas [®] RPS 1501 and 3001 Remote Plasma Sources	1.5 and 3 kW	1.7 to 3 MHz			Х	х				х
	Litmas [®] RPS for Foreline Abatement	1.5 and 3 kW	1.7 to 3 MHz						х		Х
Optical Temperature Pyrometers and Reflectometers	Sekidenko MXE with Reflectance	10 kHz	945, 1075 nm	Х	Х	Х	Х				Х
	Sekidenko MXE Reflectometer	10 kHz	405, 605 nm	Х	х	Х	Х				Х
	Sekidenko OR4000T Multi-Channel	2 kHz	919, 950, 1020, 1500 nm	Х	Х	Х	Х			Х	Х
	Sekidenko OR4000E with Reflectance	1 kHz	919, 1020 nm	X	х	Х	х		-	Х	х
	Sekidenko OR400M	250 Hz	3.3, 5.2 μm	Х	×	Х	×			Х	х
	Sekidenko OR400T	20 Hz	919, 950, 1020, 1500 nm	X	×	Х	×			Х	х
Thyristor Power Controllers	Thyro-A [®] Digital Thyristor Power Controllers	1.8 kW to 1.55 MW	8 to 1500 A 230, 400, 500, or 600 V							Х	
	Thyro-AX® Digital Thyristor Power Controllers with Touchscreen Display	0.3 kW to 1.55 MW	16 to 1500 A 24 to 600 V							Х	
	Thyro-PX™ High-Precision Digital Thyristor Power Controllers for Industrial Applications with Touchscreen Display	3.6 kW to 3.4 MW	16 to 2900 A 230 to 500, or 690 V							х	
	Thyro-S [*] Digital Thyristor Switches	3.6 to 140 kW	16 to 280 A 230, 400, or 500 V							х	

* High voltage power supplies also are available for semiconductor implantation and inspection, x-ray, mass spectrometry, scientific, industrial, and medical applications.



Solve manufacturing challenges, elevate productivity, and **push the limits** of innovation.

DC MAGNETRON SPUTTERING PRODUCTS

Largest install base and broadest array of DC products to meet the most demanding applications



ASCENT® DC POWER SYSTEMS

- Ensures maximum field reliability
- > Effectively manages arcs for improved film quality, productivity, throughput, and yield
- > Simplifies power supply integration in sputtering processes
- Reduces arc-caused contamination and damage

ASCENT® DMS ACCESSORIES

- > Unprecedented power delivery ease and control for dual-magnetron sputtering
- > Precise tuning of film characteristics
- > Selectable frequency, regulation mode, and duty cycle
- Simplified, modular system configuration

Independent power regulation to each cathode

MISSION-CRITICAL HIGH VOLTAGE PRODUCTS FOR EXACTING APPLICATION REQUIREMENTS



> 54 product lines

- High voltage modules, racks, and systems

NEXT-GENERATION RF POWER SOLUTIONS

Digital Architecture and Industry-Leading RF Plasma Control

PARAMOUNT® RF POWER SYSTEMS

- Optimizes film uniformity and throughput with unprecedented power delivery accuracy

- > Reduces arc-caused contamination and damage

- Speeds matching response time
- Tightens process control
- > Helps increase tool throughput and product yield
- Improves reliability and cost of ownership





- Merging more than 30 years of precision power design with the high voltage expertise and technology of UltraVolt® and Hitek Power®, Advanced Energy[®] offers a comprehensive portfolio of standard and custom high voltage components to precisely match system specifications and provide unparalleled energy quality.

 - \cdot 50 VDC to 500 kV and 0 to 100 μW to 120 kW
 - · DC power, capacitor charging, and pulse/waveform generation

For complete HV products and applications, visit www.advanced-energy.com/en/High_Voltage.html.

- > Enables faster, seamless process transitions
- Provides advanced pulsing and pulse synchronization
- > Reduces RF delivery system complexity

NAVIGATOR® II DIGITAL MATCHING NETWORKS









SUPPORTING YOUR SUCCESS THROUGH THE ENTIRE PRODUCT LIFECYCLE

PROVIDING HIGHLY RESPONSIVE SALES, SERVICE, AND TECHNICAL SUPPORT

Americas

Vancouver, WA, U.S.A.
 San Jose, CA, U.S.A.
 Fort Collins, CO, U.S.A.
 Georgetown, MA, U.S.A.
 Ronkonkoma, NY, U.S.A.

Design and Launch
 Sales and Service
 Manufacturing
 World Headquarters

APAC

- Seoul, Korea
 Tokyo, Japan
 Shanghai, China
- New Taipei City, Taiwan
 Shenzhen, China
- Singapore
- • Pune, India



EMEA

Littlehampton, West Sussex, U.K.
 Villaz-St-Pierre, Switzerland
 Warstein-Belecke, Germany
 Metzingen, Germany





For international contact information, visit advanced-energy.com.

ENG-TF-LNCD-200-06 4.16

Specifications are subject to change without notice. ©2016 Advanced Energy Industries, Inc. All rights reserved. Advanced Energy*, Apex*, Ascent*, Cesar*, Crystal*, Hitek Power*, LineUP*, Litmas*, Navigator*, Navio™, Paramount*, PDX*, Pinnacle*, Solvix*, Thyro-A*, Thyro-AX*, Thyro-PX*, Thyro-PX™, Thyro-S*, and UltraVolt* are trademarks of Advanced Energy Industries, Inc. ISO* is a trademark of International Organization for Standardization, Switzerland.